


SigLite LCD 1x5

T-L(BK)460



Bundled secure software APIs provide for interactive text, graphics, and pen-tap hotspots and checkboxes which enable users to navigate screens and select preferred options.

BENEFITS

- √ 3rd-generation touch-screen signing surface for cost efficiency
- √ LCD display for customizability
- √ Small size and weight for portability
- ✓ High-quality biometric and forensic capture
- ✓ Topaz software suite bundled at no additional cost for complete signing and signature solution customization techniques



T-L460-HSB-R USB

T-LBK460-HSB-RUSB
Backlit

T-LBK460-BSB-RVirtual Serial via USB
Backlit

T-L460-B-R Serial

T-LBK460-B-RSerial
Backlit

SPECIFICATIONS

Warranty2-years, with renewal option



650 Cochran Street Suite 6 | Simi Valley, CA 93065 | USA

P: 805.520.8282 F: 805.520.0867 www.topazsystems.com



QUALITY SIG CAPTURE



BACKLIT DISPLAY



ROHS COMPLIANT



T-L460 & T-LBK460

SigLite LCD 1x5

SigPlus Pro Java

SigPlus Pro C++

SiaPlus Pro .NET

SigTool Imager Plus™

SignMeln™

Microsoft Office

Adobe Acrobat

OPOS Driver

Virtual Serial

Serial

SigSock™

SigWeb™

eSign Emcee®

pDoc® SDKs





BUNDLED DEVELOPER'S TOOLS

SigPlus® Pro ActiveX Create applications using ActiveX or view

> electronically signed documents. Available as a native Java bean.

Create applications in C.

Native assembly for the .NET environment.

Create applications to capture/embed eSignatures

in digital signature fields in PDF documents.

BUNDLED UTILITIES & PLUG-INS

PAD'S REMOTE USAGE OPTIONS

BUNDLED SERVER/BROWSER TOOLS

Create fillable forms and capture eSignatures in pDoc Signer®

> PDF documents or fillable forms. Make images from eSignatures.

HIPAA-compatible software for front-desk sign-in.

For signing in Word and Excel.

"BSB" signature pads.

"HSB" signature pads.

"B" signature pads.

Add and view signatures in PDFs using Acrobat.

Allows for rapid integration of signature capture

functionality into a web application.

Incorporate eSignatures into existing document-processing work flows.

Signature pad drivers for OPOS systems.

SPECIFICATIONS

Sensor Type

3rd-generation touch-screen Rated to 1 million signatures

Pen Type

Rugged, passive pen & tether Patented, battery-less

Resolution & Conversion Rate Exceeds industry standards Programmable PPI

Dimensions 6.0" x 3.8" x 1.4"

152mm x 95mm x 36mm

Signing Area

112mm x 33mm

4.4" x 1.3"

VERIFICATION SOFTWARE

SigCompare™ Visually verify eSignatures without the need to

create or store templates.

Available to forensic document examiners with an SigAnalyze®

active signature dispute.

Authentication Capability Forensic quality .SIG data capable of examination and authentication with Topaz software

© 2015 Topaz Systems, Inc. All rights reserved. View Topaz patents, trademarks, and terms and conditions of sale at www.topazsystems.com/legal. All other trademarks or brand names are the properties of their respective holders. All features and specifications are subject to change without notice. Reproduction or posting of this document without prior Topaz approval is prohibited. 9/15