


# SigLite LCD 1x5

# T-L(BK)460



Bundled secure software APIs provide for interactive text, graphics, and pen-tap hotspots and checkboxes which enable users to navigate screens and select preferred options.

### **BENEFITS**

- √ 3rd-generation touch-screen signing surface for cost efficiency
- √ LCD display for customizability
- √ Small size and weight for portability
- ✓ High-quality biometric and forensic capture
- √ Topaz software suite bundled at no additional cost for complete signing and signature solution customization techniques



CLEAR

T-L460-HSB-R USB

**T-LBK460-HSB-R**USB
Backlit

**T-LBK460-BSB-R**Virtual Serial via USB
Backlit

T-L460-B-R Serial

**T-LBK460-B-R**Serial
Backlit

# **SPECIFICATIONS**

**Warranty**2-years, with renewal option



650 Cochran Street Suite 6 | Simi Valley, CA 93065 | USA

P: 805.520.8282 F: 805.520.0867 www.topazsystems.com



QUALITY SIG CAPTURE



BACKLIT DISPLAY



ROHS COMPLIANT



# T-L460 & T-LBK460

SigLite LCD 1x5

SigPlus Pro Java

SigPlus Pro C++

SiaPlus Pro .NET

SigTool Imager Plus™

SignMeln™

**Microsoft Office** 

Adobe Acrobat

**OPOS Driver** 

eSign Emcee®

pDoc® SDKs





# **BUNDLED DEVELOPER'S TOOLS**

SigPlus® Pro ActiveX Create applications using ActiveX or view

electronically signed documents. Available as a native Java bean.

Create applications in C.

Native assembly for the .NET environment.

Create applications to capture/embed eSignatures

in digital signature fields in PDF documents.

#### **BUNDLED UTILITIES & PLUG-INS**

pDoc Signer® Create fillable forms and capture eSignatures in

PDF documents or fillable forms. Make images from eSignatures.

HIPAA-compatible software for front-desk sign-in.

For signing in Word and Excel.

Add and view signatures in PDFs using Acrobat.

Signature pad drivers for OPOS systems.

#### **SPECIFICATIONS**

#### **Sensor Type**

3rd-generation touch-screen Rated to 1 million signatures

#### **Pen Type**

Rugged, passive pen & tether Patented, battery-less

Resolution & Conversion Rate Exceeds industry standards Programmable PPI

**Dimensions** 6.0" x 3.8" x 1.4"

152mm x 95mm x 36mm

Signing Area

4.4" x 1.3"

112mm x 33mm

# PAD'S REMOTE USAGE OPTIONS

Virtual Serial"BSB" signature pads.Serial"B" signature pads.SigSock™"HSB" signature pads.

# **BUNDLED SERVER/BROWSER TOOLS**

SigWeb™ Allows for rapid integration of signature capture

functionality into a web application. Incorporate eSignatures into existing document-processing work flows.

#### **VERIFICATION SOFTWARE**

SigCompare™ Visually verify eSignatures without the need to

create or store templates.

SigAnalyze® Available to forensic document examiners with an

active signature dispute.

Authentication Capability
Forensic quality .SIG data capable
of examination and authentication
with Topaz software